STATUS OF THE CLAIMS

Claims 1-10 (cancelled)

- 11. (Amended) A method for screening determining whether an agents will which inhibit an angiogenic response comprising
 - a) contacting:
- i) an inactive pro form or convertase-activated form of an integrin α subunit involved in angiogenesis,
- ii) an agent to be tested for the ability to inhibit angiogenesis, and
- iii) metalloprotease MT1-MMP, under conditions promoting an increase in activation of the integrin α subunit in the absence of said agent, and
- b) correlating inhibition of said increase in integrin α subunit activation with the ability of the agent to inhibit angiogenesis.
- 12. (Amended) The method of claim 11 wherein the correlating step is accomplished by observing a difference in migration of the activated form versus the inactive form of the <u>α alpha</u> subunit in electrophoresis or chromatography.
- 13. (Previously added) The method of claim 11 wherein the MT1-MMP and pro form of the integrin α subunit are recombinantly expressed within the same cell.
- 14. (Previously added) The method of claim 11 in which said contacting step is performed within a cell.
- 15. (Amended) The method of claim 11 in which the activation of said $\underline{\alpha}$ alpha subunit is accomplished by cleavage of the pro form of said $\underline{\alpha}$ alpha subunit.

- 16. (Amended) The method of claim 1 $\underline{1}$ wherein the activation of said $\underline{\alpha}$ alpha subunit is accompanied by a change in glycolsylation of the pro form of said $\underline{\alpha}$ alpha subunit.
- 17. (Amended) The method of any one of the foregoing claims in which the $\underline{\alpha}$ alpha subunit comprises the α_V subunit.